

# STOION® Solid Surfaces

#### LOTTE ADVANCED MATERIALS THAILAND

1 Empire Tower, Unit 1602-1603, 16<sup>th</sup> FL, South Sathorn Rd, Yannawa, Sathorn, Bangkok 10120, Thailand. Tel. +66-2-624-6730

#### LOTTE ADVANCED MATERIALS

56, Gosan-ro, Uiwang-si, Gyeonggi-do, Korea, 437-711 Tel. +82-31-596-3467, 3856 A COLLE ADVANCED MALEXIACS CO., Etd. FILLIED III VOXEV



# LOTTE ADVANCED MATERIALS

Originally established in 1954 as Cheil Industries, the Samsung Group launched its chemical-business units in 1988 as part of an overall business expansion strategy.

In 1992, the company commenced the manufacture of acrylic solid surface products marketed under the "Staron" brand, followed by the introduction of the Tempest Collection launched in 2006. The Samsung Group further expanded its decorative surfaces portfolio by introducing "Radianz" engineered, natural quartz surfaces in 2009.

With its drive to become a global supplier of top-tier decorative surfacing materials, Lotte Chemical Corporation launched LOTTE ADVANCED MATERIALS in May of 2016 through its acquisition of Samsung Chemical.

# 2019 LOTTE ADVANCED MATERIALS

LOTTE ADVANCED MATERIALS built up ABS and PS plants in 1989, signaling its first major step into the market. Since then, the company has been expanding its business rapidly in a variety of categories including PC.

1989

1993

2006

2008

ABS & PS plants completed

Acrylic solid surface material plant completed Polycarbonate plant completed

Compounding plant in Mexico completed

2014

Compounding plant

China completed

in Dongguan,

2011

7

2010

2009

Compounding plant in Hungary completed

Compounding plant in Tianjin, China completed

Quartz Surfaces factory established



ABS | ABS ALLOY | ASA | EPS | SAN

ABS

NO.2

NO.5

\ INFINO.

PC | PC ALLOY | PBT | MPPE |
PA | PPA | PPS | PCT | TPE

PC

NO.1

NO.5

IN KOREA

IN THE WORLD



ACRYLIC SOLID SURFACE

Radianz®

NATURAL QUARTZ SURFACE[Engineered Stone]

SURFACE MATERIALS

NO.1

NO.3



# STRETCH YOUR **IMAGINATION TO** EXPERIENCE THE POSSIBILITIES WITH STARON.

# WHY STARON?

Staron solid surfaces boast dimensional flexibility and low maintenance that ascertain its durability for a multitude of interior applications. Comprised of a wide range of designs and shades with its non-porous and hygienic textures, Staron includes the Tempest collection with high transparency properties and the Supreme with elegant and refined patterns.



#### RELIABLE PERFORMANCE

- Cutting-edge technology that sets a new standard for interior applications
- Easily repaired due to the homogenous structure



#### HYGIENIC SURFACE

- Non-porous surface that prevents growth of bacteria
- Resistant to heat and scratches
- Easy to maintain



# DIMENSIONAL FLEXIBILITY

- Can be thermoformed into three dimensional fixtures
- Excellent workability that creates various designs



# INFINITE RANGE OF COLORS

- Over 150 colors from natural to vivid palette tones featuring our collections: Tempest and Supreme
- Ongoing collaboration with color trend experts that keeps Staron on top of recent color trends and designs



#### IMPERCEPTIBLE SEAMS

 Consistent color and texture on every sheet that provides smooth and seamless surface



#### INTERIOR LUMINANCE

 Back-lighting effects created by altering the thickness of the material to allow transmission from a low-energy light source



#### GLOBAL NETWORK


 Regional branch offices and global distribution networks in various countries



# EXCELLENT QUALITY

- High quality control policy and a commercial 10-year warranty
- Certified eco-friendly by Greenguard and Scientific Certification System

# **COMMERCIAL & PUBLIC SPACES**



Make an impression with stylish interior design Innovative design meets inspiring ideas Smooth and seamless surface achieve the detail




**02**Task Table
LOTTE World
Tower, Korea




03 Bench LOTTE World Tower, Korea








**D4**Display Fixture
Stewart Weitzman
Shoes Shop,
Greece





**06**Media Facade
Kumho Art Hall,
Korea



**05**Wall Cladding
Mumbai Airport
Lounge, India





Display
Structure Wall
LOTTE World





**08**Information

Counter

Library & Learning Centre, Austria

Designed by Zaha Hadid







10 Display Fixture Heidi.com Shop, Switzerland Designed by Zaha Hadid





O9 Counter London Heathrow Airport, UK









# **RESIDENTIAL SPACES**

Achieve elegance of the focal points of residential spaces Beautiful color and patterns for various design choices Hygienic material that is easy to restore and maintain





03

Kitchen Countertop

Kitchen House A and S, Germany

Designed by Recker Architekten







Nitchen
Countertop
SUBZERO
Showroom,
Indonesia



# **04**Kitchen Island

Aarau, Switzerland Designed by Lammli

Architecture






# 06

Wall Cladding & Table

Sheraton walkerhill, Korea








09 Wash Bowl K&B Showroom, France



10 Motif Basin Omvivo, Australia Designed by Thomas Coward







07

80 Bathtub, Countertop Oesch Bad, Switzerland









# **HEALTHCARE**



01

Wall Cladding &
Furniture

Dental Hygiene
School,
Switzerland

Designed by
Bern Smile



02

Wall Cladding

Operating Room Erlangen Hospital, Germany





Non-porous surface material Provides the highest material standard by limiting bacterial growth Maintain spaces hygienic yet modern and sophisticated



03

Countertop

HUG University Hospital of Geneva, Switzerland



04

Countertop

HUG University Hospital of Geneva, Switzerland













06
Integral Sinks
Barmherzige
Schwestern
Hospital, Austria







08
Information Desk
King Hamad
Oncology Center,
Bahrain



09

Patient's Room Fixture

Samsung Seoul Atopycenter, Korea









# staron evermoin

# ANTIMICROBIAL MATERIAL, SOLUTION FOR HEALTHCARE

evermoin® anti-microbial surfaces from staron® can be applied to almost any interior space within a healthcare facility. Imagine casework, work-stations and wall-cladding in a functional and renewable material that is durable as well as ultra-hygienic.

Achieve the perfect blend of simplicity in design in an anti-microbial surface engineered for a healthier life.







# **CREATIVE WORKS**

01 Art-work Designed by Markus Benesch, Germany





Color range that is not limited by the times Artwork material that is elaborate but durable Design that is not limited by specific forms







04 Humpback Whale Island Kitchen









Odyssey Desk Designed by Massive Design,





05





06 Zebra Sofa



# Supreme"

# THE SUPREME COLLECTION


The Supreme™ collection features a natural, rhythmic pattern and delivers the next generation of high-performance, premium solid surfaces for commercial spaces and residential interiors.

O1 Kitchen Countertop Morning Sky VM114



# Nature's Art & Movement





O3 Kitchen Countertop Ocean View V0171







04 Information Desk Cloudbank VC118











**06**Information Desk
Magnolia
VM143



**07**Kitchen
Countertop
Pastoral
VP177









O8
Kitchen
Countertop
Urban Grey
VU127





# **COLORS OF STARON**





Reno VR184 NEW Loam VL155

Dawn VD126





Urban Grey VU127



Presto VP159

Dandelion VD175

# STARON EVERMOIN

Ultra Bright MU010

NEW

# **TEMPEST**



## SOLID



Horizon

FH114

FI187



Sanded Onyx S0423

## **ASPEN**



Aspen Glacier AG612



Aspen Stucco AS644



Aspen Mine AM633



Aspen Pond

Aspen Lily



Aspen Concrete AC629

AS670



Aspen Cliff AC652



Aspen Alder

Aspen Misto

AM681

AA625

Aspen Glow AG636

Aspen Brown

AB632



Aspen Fiesta AF611



Aspen Grey AG620

# **PEBBLE**



Pebble Swan PS813



Pebble Boulder



Collina Mirage

Quarry Ridge

OR278



Collina Chai

Pebble Gold PG840



Pebble Chiffon PC842

**METALLIC** 

Metallic Yukon

EY510

ES581



Pebble Spinel PS854



Pebble Terrain PT857

# **QUARRY**



Quarry Oyster T0310



**Quarry Starred** 

# Eco-Friendly Materials, Staron

Printed representation of colors may vary from actual samples. Please review actual sample prior to selection.

























Metallic Sleeksilver(N) Metallic Galaxy



• These colors may require extra care and maintenance;

• To view new colors in greater detail, please visit <u>www.staron.com</u>

consult with your Staron processor for the best use of these colors.

Metallic Satingold

ES558







# SINKS & BOWLS

# **ADA Compliant**

Staron solid surface sinks and bowls are installed with the all-acrylic sheet in a seamless appearance for a smooth and polished fit. The continuous transition from sink to surface leaves no seams for bacteria or mold to accumulate and grow, thus Staron's nonporous solid surfaces are the most desirable choice for hygienic interior commercial applications. Staron sinks come in three following colors in ten popular models:

#### COLOR OPTIONS



Quasar White SQ019 Bright White BW010





Pearl SP011

Ivory SI040




#### LAVATORY SINKS / BASINS

#### A3211



- A 21-9/16" [548mm] B 3-3/8" (86mm)
- C 14" (356mm)
- D 15-9/16" (396mm)
- E 20" (508mm)
- F 6-1/8" [156mm] G 6-13/16" [173mm]

#### A3181



- A 18-3/16" [462mm] B 3-11/16" (94mm)
- C 13-1/4" [336mm]
- D 14-13/16" [376mm]
- E 16-5/8" [422mm]
- F 5-1/2" [139mm] G 6-1/8" [156mm]

A1121


#### KITCHEN / UTILITY SINKS

#### A2311






- B 4-15/16" [110mm] C 16-9/16" [421mm]
- D 18-15/16" [481mm] E 13-11/16" (348mm)
- F 13-11/16" [348mm]
- G 9-1/4" (235mm) H 9-13/16" (250mm)



- A 18-1/8" (460mm) B 15-3/4" [400mm]
- C 18-1/8" [460mm]
- D 15-3/4" [400mm] E 8-3/16" [208mm]
- F 8-7/8" (225mm)

A1231



A 12-13/16" [326mm]

C 16-3/8" [416mm]

D 10-3/8" (266mm)


E 6-1/2" [165mm]

F 7-1/16" [180mm]

B 14" [356mm]

- A 23-5/16" (592mm) B 16-5/8" [422mm]
- C 19" (482mm)
- D 20-15/16" (532mm) E 7-3/8" [187mm]
- F 7-15/16" (202mm)

#### MOUNTING OPTIONS



# Under mount



# **PERFORMANCE PROPERTIES**


The information contained herein is provided by LOTTE ADVANCED MATERIALS Co., Ltd. and subsidiaries and affiliates for information purposes only and should be used by individuals with technical experience and knowledge in the area. LOTTE ADVANCED MATERIALS does not make any representation or warranties of the usefulness or expected result of the information, and does not assume any responsibility whatsoever related to the use of the information. Exclusion of the implied warranties may not apply in certain jurisdictions.

| PROPERTY  | TEST RESULT                                    | TEST PROCEDURE                       |
|---|--|--------------------------------------|
| Tensile strength                                | 6,000 psi                                      | ASTM D 638                           |
| Tensile modulus                                 | 600,000 psi                                    | ASTM D 638                           |
| Flexural strength                               | 10,000 psi                                     | ASTM D 790                           |
| Flexural modulus                                | 1,000,000 psi                                  | ASTM D 790                           |
| Elongation                                      | 0.5%   | ASTM D 638                           |
| Hardness  | 92 Rockwell "M" Scale<br>65 Barcol impressor   | ASTM D 785<br>ASTM D 2583            |
| Thermal expansion                               | 2.0x1.0 <sup>-5</sup> in/in F <sup>0</sup>     | ASTM D 696                           |
| Gloss (60 Gardner)                              | Between 5-20                                   | NEMA LD-3                            |
| Color stability                                 | No change-200hrs                               | NEMA LD-3                            |
| Stain resistance                                | Passed<br>Rating 41                            | ANSIZ 124                            |
| Abrasion resistance                             | Passed   | ANSIZ 124                            |
| Boiling water surface resistance                | No effect                                      | NEMA LD-3                            |
| High temperature resistance                     | No effect                                      | NEMA LD-3                            |
| IZON Impact resistance (Notched)                | 0.28ft. lbf/in                                 | ASTM D 256                           |
| Ball drop 1/2"<br>(12 mm) sheet                 | 144"w/1/2lb ball<br>No failure                 | NEMA LD-3                            |
| Fungi and Bacterial resistance                  | No growth                                      | ASTM G 21, G22                       |
| Specific gravity Solid colors Patterened colors | 1.72<br>1.69                                   | ASTM D 792                           |
| Water absorption                                | 0.04%, [1/2", 24hrs]<br>0.11%, [1/8", 24hrs]   | ASTM D 570                           |
| Flammability<br>Flame spread<br>Smoke density   | Class A/Class 1<br>10<br>10                    | UBC 8-1<br>ASTM E 84<br>ASTM E 84    |
| Radiant heat resistance                         | No visual effect                               | NEMA LD-3                            |
| Toxicity  | 84.4g (Solid Color)<br>81.8g (Patterned Color) | Pittsburgh test protocol (LC50 Test) |

## PRODUCT DIMENSIONS


#### COLLECTION

Solid, Sanded, Aspen, Pebble, Quarry, Metallic, Tempest, Supreme



#### COLLECTION

Solid, Sanded, Aspen



| THICKNESS    | WIDTH        | LENGTH          |
|--------------|--------------|-----------------|
| mm           | mm           | mm              |
| 12<br>(1/2") | 760<br>(30") | 3,680<br>(145") |

| THICKNESS   | WIDTH        | LENGTH         |
|-------------|--------------|----------------|
| mm          | mm           | mm             |
| 6<br>(1/4") | 760<br>(30") | 2,500<br>(98") |
| [1/4]       | [30]         | lao l          |

- 6mm [1/4"] thickness sheet is not recommended for horizontal application.
- If there is a specific dimension or size that is required for a particular project, please consult with the local agent or distributor.

## STARON® 10-YEAR LIMITED WARRANTY

The 10-year warranty applies to Staron, Tempest and Supreme Collection products that have been installed in an interior, commercial-use or residential application.

For more details, please consult with your Staron products distributor, or visit <a href="https://www.staron.com">www.staron.com</a>

# DISCLAIMER

The information contained herein is provided by LOTTE ADVANCED MATERIALS Co., Ltd. for information purposes only and should be used by individuals with technical experience and knowledge in the area. LOTTE ADVANCED MATERIALS Co., Ltd. does not make any representation or warranties of the usefulness or expected result of the information, and does not assume any responsibility whatsoever related to the use of the information. Exclusion of the implied warranties may not apply in certain jurisdictions.

 $^{38}$