


#### LOTTE Chemical (Thailand) Co., Ltd.

1 Empire Tower, RM 2313, 23rd Floor, South Sathorn Rd, Yannawa, Sathorn, Bangkok 10120, Thailand Tel. +66-2-624-6730

www.staron.com





## **LOTTE CHEMICAL**

Originally established in 1954 as Cheil Industries, the Samsung Group launched its chemical-business units in 1988 as part of an overall business expansion strategy.

In 1992, the company commenced the manufacture of acrylic solid surface products marketed under the "Staron" brand, followed by the introduction of the Tempest Collection launched in 2006. The Samsung Group further expanded its decorative surfaces portfolio by introducing Radianz® Quartz Surfaces in 2009.

With its drive to become a global supplier of top-tier decorative surfacing materials, LOTTE Chemical Corporation launched LOTTE Advanced Materials in May of 2016 through its acquisition of Samsung Chemical.

In 2020, LOTTE Advanced Materials has reached a new milestone with its affiliation with LOTTE Chemical Corporation. LOTTE Chemical pursues sustainable growth with outstanding performance in today's surface industry through cutting-edge technology and insight into global market trends.

## **2020 LOTTE CHEMICAL**

LOTTE CHEMICAL built up ABS and PS plants in 1989, signaling its first major step into the market. Since then, the company has been expanding its business rapidly in a variety of categories including PC.

	1989	1993	2006	2008
	ABS & PS plants completed	Staron® Acrylic solid surface plant completed	Polycarbonate plant completed	Compounding plant in Mexico completed
	2014	2011	2010	2009
	Compounding plant in Dongguan, China completed	Compounding plant in Hungary completed	Compounding plant in Tianjin, China completed	Radianz® Quartz Surface factory established
Ш	2015	2016	2018	2020
	Launch of Staron® Supreme Collection	Launch of LOTTE Advanced Materials after the acquisition of Samsung Chemical	Radianz® Quartz production using Breton technology	Affiliation with LOTTE Chemical Corporation Launch of Locelain® Sintered Stone







TOTAL SOLUTION PROVIDER OF DECORATIVE SURFACES

storex\*

INFINO.

ABS | ABS ALLOY | ASA | EPS | SAN

PC | PC ALLOY | PBT | MPPE | PA | PPA | PPS | PCT | TPE



# STRETCH YOUR **IMAGINATION TO EXPERIENCE** THE POSSIBILITIES WITH STARON. • Able to be inconspicuously IMPERCEPTIBLE SEAMS

## **WHY STARON?**

Staron® solid surface materials boast dimensional flexibility and low maintenance and is ideal for a multitude of interior applications. Comprised of a wide range of color and pattern options, Staron® is non-porous, ultra-hygienic and ultimately durable. The Tempest and Supreme collections offer high-transparent gemstone textures and elegant, refined vein patterns like natural marble.

#### RELIABLE PERFORMANCE

- Cutting-edge technology sets a new standard in surface
- repaired due to its homogenous



#### HYGIENIC SURFACE

- Non-porous surface inhibits
- Resistant to heat and abrasion Able to refurbish to a new



#### DIMENSIONAL FLEXIBILITY

- Thermo-formable into three-dimensional shapes
- Excellent workability enables virtually unlimited design



#### **INFINITE RANGE OF COLORS**

- Over 150 color options ranging from natural to vivid
- color trend experts keeps Staron commercially relevant

- Consistent color and texture on every sheet provides a smooth and
- Installed without gaps, crevices, or obvious joint-lines



#### TRANSLUCENCY

 Creative back-lighting effects created by altering the thickness of the material to allow transmission from a low-energy light source



#### **GLOBAL NETWORK**


Regional branch offices and




#### **RELIABLE QUALITY**

- Advanced quality control policy and a commercial 10-year warranty
- · Certified eco-friendly by Greenquard

## **COMMERCIAL & PUBLIC SPACES**



Staron® soild surfaces provide a seamless and ultra-hygienic element to any residential and commercial area. Pure and neutral solid-colors, such as Staron® Bright White, add a modern and contemporary finish to an interior space.









04 Display Fixtures Stewart Weitzman Shoes Shop, Greece







05 Wall Cladding Mumbai Airport Lounge, India





08

Reception Desk New Vienna

Austria

Designed by

Zaha Hadid

Architect

University,
















## **RESIDENTIAL SPACES**

Staron® by LOTTE CHEMICAL is becoming a preferred choice among those who prioritize hygienic surface and reliable performance. Achieve the best of both style and quality with Staron® that offers non-porous surface and cutting-edge technology for your space.







Kitchen
Countertop
Kitchen in the
house A and S,
Germany
Designed by

Recker Architect (Holzwerkstatt WINTER)









Kitchen Island Aarau, Switzerland Designed by Lammli Architect







O5
Wall
Cladding &
Table
Sheraton
walkerhill,
Korea







08 Wash Bowl K&B Showroom, France







## **HEALTHCARE**



O1
Wall Cladding
& Furniture
Dental Hygiene School,
Switzerland
Designed by Bern Smile

Durable and ultra hygienic Staron® solid surfaces offer unparalleled design flexibility, color selection and ease of maintenance and repair— all while exceeding stringent commercial healthcare standards.









03 **Integral Sinks** Barmherzige Schwestern Hospital, Australia







06 Information Desk King Hamad Oncology Center, Bahrain









Nurses' Station St .Joe's Healthcare,


## **CREATIVE WORKS**



O2
Odyssey Desk
Designed by
Massive Design,
Poland

Think beyond your imagination with the colorful assortment of patterns offered by the unique properties of Staron® solid surfaces. With colors ranging from solids to dazzling metallics, Staron® can accommodate a multitude of design options.











## **URBAN SERIES PROPOSAL**

Simple, modern and sophisticated. Staron® Urban Collection is characterized by understated, industrially inspired colors— perfect for commercial spaces as well as minimalist residential applications.

#### 1. Urban Outlook Contrast / Brilliant & Essential / Texture



#### 2. Effortless Beauty Sleek / Neutral / Contemporary



## **FACADE SOLUTION**

Explore your limits with the infinitely versatile and durable surface.

Staron® offers endless design potentials that meet the demands of any space.

#### 1. Seamless Joint



#### 2. Dimensional Flexibility



#### 3. CNC Fabrication



### 4. Lighting Effect



## **ANTI-MICROBIAL**

Anti-microbial surface that limits bacteria growth in hygienically demanding environments


## staron evermoin

#### The healthiest choice for your design

Staron® anti-microbial surfaces, evermoin® can be applied to almost any interior space within a healthcare facility. Imagine casework, work stations, and wall-cladding in a functional material that is both durable and ultra-hygienic. Achieve the perfect blend of simplicity and performance in an anti-microbial surface engineered for a healthier life.







## **SUPER FLEX**

Specialized Formula for Dramatic Curves & Design

#### Why choose Staron® Super Flex?

Staron® Super Flex allows for more dramatic curves and flexibility to achieve high-performance applications in all commercial, residential and public space projects. Meet the new Staron innovation to design your new futuristic and functional space.

#### HIGH ELONGATION

- The elongation rate of Staron® Super Flex is two times higher than that of existing Staron®.
- Staron® Super Flex can be used for architectural and interior applications, such as high-performance wall-cladding or kitchen, bathroom and furniture surfaces.









#### TIME-SAVING

• Staron® Super Flex can be thermoformed at lower temperature and in shorter heating time compared to the thermoforming process of existing Staron<sup>®</sup>.

Product	Oven Temp.	Time	Folding limit (Radius)
Staron Solid Grade (12T)	302°F(150°C)	45~80 min	2" (50mm)
Staron Super Flex (12T)	284°F(140°C) 302°F(150°C)	20~30 min 15~30 min	0" (0mm)



#### STARON® SUPER FLEX

**Infinity** IF188  $L.760 \times W.3,680 \times 12T (mm)$ 

## **FLAME RETARDANT**

Flame-retardant surface for any ship & boat interiors


#### Perfect material certified for shipbuilding

Staron® Pharos has a MED (Marine Equipment Directive) certification in accordance with the IMO (International Maritime Organization) regulations. While most shipbuilding materials are sensitive to heat and fire, see how Staron® Pharos meets not only the flammability standards but also your aesthetic demands.


#### FLAME-RETARDANT TEST RESULT

Total heat release of FR grade is 1/8. (Harder to burn)

#### **Solid Surface**



#### Staron® Solid Surface FLAME RETARDANT - PHAROS











STARON® FLAME-RETARDANT

Pharos GP111





## Supreme"

#### THE SUPREME COLLECTION

The variegated patterns of the Supreme Collection offers relaxed aqueous textures to neutral surfaces that can embellish any interior aesthetics. Staron® high durability features make it the ideal surfacing material for any unique and distinctive fixtures.

Citchen Countertop

Morning Sky

VM114



#### Nature's Art & Movement



















05
Kitchen
Countertop
Dandelion
VD175












08
Kitchen Countertop
Urban Grey
VU127



## **COLORS OF STARON**








Concerto VC157



**TEMPEST** 




#### **SOLID**



#### **SANDED**



#### **ASPEN**







**Quarry Dalmatian Quarry Bark** 



**Quarry Minette** 



**Earthen Nimbus** On287

#### **CRYSTAL**



**Crystal Sundance** 



Terrazzo Venezia NT150 NEW

#### **FUNCTIONAL PRODUCTS**



#### **Eco-Friendly Materials, Staron**

Printed representation of colors may vary from actual samples. Please review actual sample prior to selection.

- To view new colors in greater detail, please visit <u>www.staron.com</u>
- **⇔** Functional Product













• These colors may require extra care and maintenance;

consult with your Staron processor for the best use of these colors.





## **SINKS & BOWLS**

Staron solid surface sinks and bowls are installed with the all-acrylic sheet in a seamless appearance for a smooth and polished fit. The continuous transition from sink to surface leaves no seams for bacteria or mold to accumulate and grow, thus Staron's non-porous solid surfaces are the most desirable choice for hygienic interior commercial applications. Staron sinks come in five following colors in ten popular models:


#### **COLOR OPTIONS**





Pure white SP016 Quasar White SQ019

#### MOUNTING OPTIONS





#### LAVATORY SINKS / BASINS

# A2311

- A 31.25in (794mm) B 4 33in (110mm)
- C 16 57in (421mm) D 18 93in (481mm)
- E 13.70in (348mm) 9.25in (235mm)
- G 9.84in (250mm)
- H 3.54in (90mm)

#### A1181



- A 18.11in (460mm)
- B 15.75in (400mm)
- C 18.11in (460mm)
- E 8.18in (208mm)
- H 3.54in (90mm)
- D 15.75in (400mm)
- 8.85in (225mm)
- D 27.48in (700mm) E 7.28in (185mm)
- F 7.87in (200mm) H 3.54in (90mm)

A3181

A1121

A 12.83in (326mm)

B 14.01in (356mm)

C 16 37in (416mm)

D 10 47in (266mm)

E 6.49in (165mm)

F 7.08in (180mm)

H 3.54in (90mm)

A 29.52in (750mm)

B 15.75in (400mm)


C 17.64in (450mm

B3290



- A 23.30in (592mm)
- B 16.61in (422mm)
- C 18 97in (482mm)
- D 20 94in (532mm)
- E 7.36in (187mm) F 7.95in (202mm)
- H 3.54in (90mm)

#### B3180



- A 17.67in (450mm) B 15.75in (400mm)
- C 17.67in (450mm)
- D 15.75in (400mm)
- E 6.89in (175mm)
- F 7.48in (190mm)
- H 3.54in (90mm)

40

#### KITCHEN / UTILITY SINKS

#### A3211



- A 21.57in (548mm)
- B 3 38in (86mm) C 14.01in (356mm)
- D 15.59in (396mm) 20.00in (508mm)
- 6.14in (156mm) G 6.81in (173mm)
- H 1.77in (45mm)

#### B3150





- A 16.81in (427mm) B 10.94in (278mm) C 12.87in (327mm)
- D 14.88in (378mm)
- E 4.57in (116mm)
- F 5.43in (138mm) H 1.77in (45mm)



- A 18.18in (462mm) B 3 70in (94mm)
- C 13.22in (336mm) D 14.80in (376mm
- E 16.61in (422mm) F 5.47in (139mm) G 6.14in (156mm)
- H 1.77in (45mm)

#### B3190





- B 10.98in (279mm) C 12.87in (327mm)
- D 18.66in (474mm)
- E 4.57in (116mm)
- F 5.43in (138mm)
- H 1.77in (45mm)

## **PERFORMANCE PROPERTIES**


The information contained herein is provided by LOTTE CHEMICAL Co., Ltd. and subsidiaries and affiliates for information purposes only and should be used by individuals with technical experience and knowledge in the area. LOTTE CHEMICAL does not make any representation or warranties of the usefulness or expected result of the information, and does not assume any responsibility whatsoever related to the use of the information. Exclusion of the implied warranties may not apply in certain jurisdictions.

PROPERTY	TEST RESULT	TEST PROCEDURE
Tensile strength	6,000 psi	ASTM D 638
Tensile modulus	600,000 psi	ASTM D 638
Flexural strength	10,000 psi	ASTM D 790
Flexural modulus	1,000,000 psi	ASTM D 790
Elongation	0.5%	ASTM D 638
Hardness	92 Rockwell "M" Scale 65 Barcol impressor	ASTM D 785 ASTM D 2583
Thermal expansion	2.0x1.0 <sup>-5</sup> in/in F <sup>0</sup>	ASTM D 696
Gloss (60 Gardner)	Between 5-20	NEMA LD-3
Color stability	No change-200hrs	NEMA LD-3
Stain resistance	Passed Rating 41	ANSIZ 124
Abrasion resistance	Passed	ANSIZ 124
Boiling water surface resistance	No effect	NEMA LD-3
High temperature resistance	No effect	NEMA LD-3
IZON Impact resistance (Notched)	0.28ft. lbf/in	ASTM D 256
Ball drop 1/2" (12 mm) sheet	144"w/1/2lb ball No failure	NEMA LD-3
Fungi and Bacterial resistance	No growth	ASTM G 21, G22
Specific gravity Solid colors Patterened colors	1.72 1.69	ASTM D 792
Water absorption	0.04%, (1/2″, 24hrs) 0.11%, (1/8″, 24hrs)	ASTM D 570
Flammability Flame spread Smoke density	Class A/Class 1 10 10	UBC 8-1 ASTM E 84 ASTM E 84
Radiant heat resistance	No visual effect	NEMA LD-3
Toxicity	84.4g (Solid Color) 81.8g (Patterned Color)	Pittsburgh test protocol (LC50 Test)

#### PRODUCT DIMENSIONS


## COLLECTION Solid, Sanded,

Aspen, Pebble, Quarry, Metallic, Tempest, Supreme



#### COLLECTION

Solid, Sanded, Aspen, Metallic



THICKNESS	WIDTH	LENGTH
mm	mm	mm
12	760	3,680 (145")
. <del>_</del>	(= = #)	
(1/2")	(30")	(145")
	1 ' '	· '

THICKNESS	WIDTH	LENGTH
mm	mm	mm
6 (1/4")	760 (30")	2,500 (98")

- Bright White with wider widths is available. Widths of 1350mm and 930mm with the thickness of 6mm, 9mm and 12mm are available.
- Panel thicknesses of 9mm and 19mm available on request.
- 6mm thickness sheet is not recommended for horizontal application.
- If there is a specific dimension or size that is required for a particular project, please consult with the local agent or distributor.

#### STARON® 10-YEAR LIMITED WARRANTY

The 10-year warranty applies to Staron, Tempest and Supreme Collection products that have been installed in an interior, commercial-use or residential application.

For more details, please consult with your Staron products distributor, or visit <a href="https://www.staron.com">www.staron.com</a>

#### DISCLAIMER

The information contained herein is provided by LOTTE CHEMICAL Co., Ltd. and LOTTE Chemical (Thailand) Co., Ltd. for information purposes only and should be used by individuals with technical experience and knowledge in the area. LOTTE CHEMICAL Co., Ltd. does not make any representation or warranties of the usefulness or expected result of the information, and does not assume any responsibility whatsoever related to the use of the information. Exclusion of the implied warranties may not apply in certain jurisdictions. LOTTE Chemical (Thailand) Co., Ltd. is a subsidiary of LOTTE CHEMICAL Co., Ltd.